ILLUSTRATED CATALOGUE McLEAN BROS., RIGG & CO.




Hindley Street, Adelaide, Victoria Street, Adelaide, Lipson Street, Port Adelaide,

ALSO AT

MELBOURNE SYDNEY, LONDON, NEW YORK.

MCLEAN BROS., RIGG & CO.



MELBOL


69, Elizabeth Street, Melbourne.

ADELAIDE.

LONDON,

NEW YORK,

McLEAN BROS., RIGG & CO.



IMPORT WAREHOUSE, FLEMING STREET, MELBOURNE.

ADELAIDE.

1

LONDON

NEW YORK,

McLEAN BROS., RIGG & 60.



LONDON

EXPORT WAREHOUSE,

COLLINS PLACE, MELBOURNE.

MCLEAN BROS., RIGG & CO.,

WHOLESALE AND RETAIL

IRONMONGERS,

Pandwane, Pine, Petal, & Maghingry Menchants,

LONDON,

YORK

41 and 43, HINDLEY STREET, ADELAIDE.

MACHINERY WAREHOUSE, VICTORIA STREET.

SYDNEY,

PORT ADELAIDE - - Lipson Street

MELBOURNE - 69, Elizabeth Street

Machinery, Collins Street West

SYDNEY - - 512, George Street

LONDON - 9 and 11, Fenchurch Avenue

NEW YORK - 52 and 54, New Street

INDEX.

| PAGE | PAGE |
|-------------------------------|----------------------------|
| Ammunition 87 | Mowers 20-21 |
| Brushware 66 | Oils 65 |
| Baths 72 | Pumps 31-38 |
| Bedsteads, Iron 90 | " Centrifugal - 36-38 |
| Bicycles 55-56 | Paints 63-64 |
| Boats 87 | Ploughs 23 |
| Chaffcutters - 39-43 | Pulleys 89 |
| Corncrushers - 41-42 | Rope · 81 |
| Churns 70 | Register Grates 69 |
| Clothes Lines, Everlasting 71 | Refrigerators 72 |
| Cricketing Goods 76 | Racquets, Tennis 75 |
| Dynamite 88 | Roofing Felt 80 |
| Fence Standards, Iron - 85 | Sausage Machines 70 |
| Fencing Wire 82 | Saws 52-54 |
| Fender Curbs 69 | Scarifiers 24 |
| Filters 77 | Self-rake Reaper 19 |
| Gas Fittings 73 | Seltzogenes, Patent - 77 |
| Gates 85 | Sewing Machines - 59-60 |
| Grates and Mantelpieces 69 | Sheep Shears 83 |
| Guns 86.87 | Station Requirements 61-62 |
| Harvester and Binder 16-18 | Standards, Fence 85 |
| Hurdles 85 | Steam Engines - 10-13 |
| Horse Gears - 44-47 | Stoves, Cooking - 67-68 |
| Horse Rakes 22 | Sundries, General 79 |
| Iron, Galvanized Roofing - 80 | Thrashing Machines 14-15 |
| Iron, Galvanized, Plain - 81 | Traction Engines 9 |
| Irons, Flat and Box - 71 | Tricycles 57-58 |
| Iron, Hoop 82 | Troughing 82 |
| Ice Machines 72 | Varnish 65 |
| Lines, Clothes - 71 | Washhouse Requirements 71 |
| Laundry Requirements - 71 | Windmills 25-30 |
| Lamps, Kerosine 73 | Wire Strainers - 48-49 |
| Lathes 50-51 | Wheelbarrows 82 |
| Lawn Mowers 74 | Weighing Machines - 78 |
| Lawn Tennis, &c 75 | Wringers 70-71 |
| Leather Belting 89 | Wire Netting - 84-85 |
| List of Agencies 91 | |

SYDNEY,

MELBOURNE,


CABLE ADDRESS-

MEL

"MICROPHONE," LONDON.

"ASPHODEL," NEW YORK.

TRADE



MARK.



PN presenting this Catalogue to our friends and the Public we are quite aware that it is incomplete, in that we are receiving fresh Novelties and new and improved patterns of goods with every shipment from the Continent, England, and America.

In our very large trade in the Country it frequently happens that much business is done with Customers whom we have never come in contact with, and when the selection of goods is left to our own judgment we shall endeavour in this particular in future to give the same universal satisfaction to our Customers as we have been fortunate in doing hitherto.

Orders by post will have our most careful attention, and instructions as to transit will be as usual faithfully carried out.

From the fact of our having houses both in Melbourne and Sydney we have special facilities for quoting for any goods not obtainable in South Australia.

We shall be happy to supply these Catalogues on application.

Inspection of our stock, 41 and 43, Hindley-street, is invited.

McLEAN BROS., RIGG, & Co.

The following is a List of Exhibitors whom we represent at the Jubilee Exhibition held in Adelaide, June, 1887, till January, 1888:—

| | No. of Name. Stand. | Description. | Place. |
|---|--|--|-------------------|
| 1 | cua 45 Joseph Rodgers & Co | Cutlers | Sheffield |
| r | / 228 Yates, Haywood, & Co | A 224 A 24 | London |
| | 42 C. L. Hett | Centrifugal Pumps | Brigg |
| | | | Gainsborough |
| | | | London and Bir |
| | 97 W. C. Scott & Sons | Oldfiel oper 11 | mingham |
| | A GC Downell Song & Co | Gas Fittings | Birmingham |
| | | Tools, Screw Cutting Ma- | |
| ₹ | 5 98 Thos. Chatwin | chines, &c | Birmingham |
| 4 | Les C4 Talan Danales | Anvils, &c | Stourbridge |
| 0 | | ZIITIS, OC | 01041011080 |
| | 82 Automatic Sporting Shrapnell | Sporting Shells | Birmingham |
| | Shell Company | Chandeliers | Mr. disable |
| | | C 1 71 -1 -1 -1 -1 | London |
| | / 56 J. Hall & Sons | ~ | London |
| | 2 92 Jas. Hinks & Sons (Limited) | Indiarubber, &c | Manchester |
| | 62 Broadhurst & Co | = 1 mt | Wolverhampton |
| | | n 1 . 1 n1 1 | |
| | 5 46 W. A. Lyndon | CAL AND THE REAL PROPERTY OF THE PARTY OF TH | Glasgow |
| | | Pewter Goods | Birmingham |
| | | Bedsteads and Safes | |
| | Defries Patent Lamp Company | | 2 12 |
| Ц | 91 W. & T. Avery | *** * * * * * * * * * * * * * * * * * | Birmingham |
| Ζ | | | Blackwall |
| ב | 471 Blackwall Iron C mpany 1 35 T. & C. Clarke & Co | | Wolverhampton |
| ₹ | 196 R. Hunt & Co | Chaffcutters, Horse Gears, &c. | |
| n | 4 65 Anglo-American Tin Stamping | Chancasters, Horse creats, we- | Direction Country |
| j | Company | Tinware | Stourport |
| Ц | | Carpenter's Tools | CI 00 17 |
| ≥ | 103 The Britannia Company | And the same of th | Colchester |
| | | Drilling Machines | Birmingham |
| | | Patent Shafting, &c | Leeds |
| | 5 118 H. Henderson & Son | - | Dundee |
| | / 307 Fortnam, Forrester, & Co | | London |
| | 3 155 Stack & Brownlow | Filters | Manchester |
| | 5 227 J. & J. Cordes & Co | Nails | Newport |
| | 4 399 Goldsworthy & Co | A1 1 1 1 | Manchester |
| | / 95 Burgon & Ball | 05 05 | Sheffield |
| 1 | Treis 619 S. Allcock & Co | Fishing Tackle | Redditch |
| | 4 398 Shropshire Iron Company | Iron, Wire, &c | Wellington |
| | | Sash Cord and Twine | |
| 7 | Cual24 Cartland & Bon | Brass Foundry | Birmingham |
| | | | |

YORK,

List of Exhibitors (continued).

| No Star | Name. | Description. | Place. |
|------------|------------------------------|------------------------------|---------------------|
| 258 | A. Ransome & Co. | Woodworking Machinery . | . London |
| 314 | F. Dark & Sons Maue | Cricketware | London |
| 617 | H. Elwell 5 | Tools | . Wednesbury |
| | Allday & Onions | Bellows, &c | . Birmingham |
| 381 | Burys & Co. Z | Sheep Shears | 677 . (VI . 1 9 |
| 496 | Wilkinson 3 | Pat Gongs | Birmingham |
| | Thos. Green & Son | Lawn Mowers | Leeds |
| 611 | G. H. Nicoll & Co. 5 | Mangles | . Dundee |
| 509 | R. Kell & Co | Grindstones | Newcastle |
| | Walker & Co | Patent Wire Strainers | Melbourne |
| 812 | Moline Plow Co | Plows, &c | Moline, Ill. |
| 813 | Baldwin & Co. " | Refrigerators | Burlington, Ver. |
| | har a | | mont, U.S.A. |
| 789 | Henry Chenny Hammer Co. X. J | Hammers | Little Falls, N. Y. |
| 788 | Davis Sewing Machine Co. 4 | Sewing Machines | Watertoun |
| 786 | McCormick Co | Mowers, Reapers, and Binders | Chicago |
| 784 | The Standard Handle Co. 4 | Axe Handles, &c | Knoxville, Tenn. |
| 814 | Miller Lock Co | Locks | |
| 787 | U.S. Wind, Engine, and Pump | | |
| | Company | Windmills | Batavia |
| 389 | W. H. Dunkley 4 | Perambulators | Birmingham |
| | | Door Springs | |
| | | Lawn Mowers | 40 2 4 |
| | Patent Enamel Co. 6 | | Birmingham |
| | | | |



McLEAN BROTHERS, RIGG & CO., ADELAIDE.

Improved Tragtion Engines

OR

AGRICULTURAL LOCOMOTIVE

For Driving Threshing Machinery and Haulage on Roads, &c.



They are fitted with two speeds of Best Crucible Cast Steel Gear and with differential motion for turning sharp curves. The frame is strong wrought-iron, securely rivetted to the boiler for carrying the crank shaft and intermediate wheel shaft. The travelling wheels are of wrought-iron of extra width and of ample strength, and are provided with proper appliances for travelling on hard or soft ground. The boilers are of great strength and large capacity, with proportionate area of cylinder: the latter are steam jacketted and are constructed with the working barrel cast separately of extra hard metal to promote durability, and the engines throughout will be found of ample strength, efficient and economical in working. The tender carries a good supply of coals and water, and the engine is managed entirely from the footplate.

ADELAIDE.

NEW

SYDNEY,

MARSHALL, SONS, & CO.'S


IMPROVED

PORTABLE STEAM ENGINES

SYDNEY

BOURNE

With One or Two Cylinders.



Above Illustration represents an Engine with extra large Fire Box for wood burning, &c.

ADELAIDE.

NEW YORK,

DESCRIPTION

OF

WEATERSHALL'S

IMPROVED.

PORTABLE STEAM ENGINES

1½ TO 12 NOMINAL HORSE POWER.



SYDNEY,

MELB


Improved Portable Steam Engines, with Steam Jacketted Cylinders and Patent Variable Expansion Apparatus, Feed Water-heater, Steam Draught Jet, and Colonial Fire-box, are constructed of the best material with first-class workmanship through. out, being equal in finish to the best locomotive work, and are applicable for driving Threshing Machines, Grinding and Crushing Mills, Brickmaking Machines, Mortar Mills, Centrifugal and other Pumps, Circular Saws, and all Wood-working Machines, and for the general purposes of Contractors and Builders, and for Steam Cultivation, &c. They are of very large proportions, with ample strength and heating surface in the boilers; are unsurpassed for efficiency, economy, and durability in working. They are mounted on wrought iron under-gear and travelling wheels, which, for hot climates specially, are most advantageous. They embody the greatest possible strength of construction, and will be found practically indestructible.

The above are always in Stock.

MARSHALL'S

IMPROVED VERTICAL

STEAM ENGINES & BOILERS



(Either Stationary or Portable).

This Illustration represents one of

Messrs. Marshall, Sons, & Go.'s

IMPROVED

VERTICAL STEAM ENGINES

WITH

INDEPENDENT VERTICAL BOILER,

fitted with Force Pump, Feed Water Heater, and Patent Variable Expansion Apparatus: the whole mounted, complete, on a strong cast-iron Tank Base. These Engines will be found to give better results from an economical point of view than most other makers', the cylinders being steam-jacketted and the expansion adjustable to the amount of power required, their large heating surfaces reducing to a minimum the consumption of fuel. They are very large for their respective nominal horse-powers, as will be seen from the sizes of the cylinders; the boilers are of corresponding capacity with the cylinders; and the Engines will be found fully one horse-power larger than those of some other makes.

MEL

The smaller sizes of these Engines up to five horse-power are made portable by mounting same on four low travelling wheels, with locking gear and shafts for draught; they can thus be readily removed.

MARSHALL, SONS, & CO.'S

IMPROVED PORTABLE

Steam Thrashing & Finishing Machine

AWARDED GOLD MEDALS

At the Paris Universal Exhibitions, 1867 and 1878, and


THE ONLY FIRST DEGREE OF MERIT

SYDNEY

OURNE

MELB

Sydney International Exhibition, 1880.



Medal for Progress, Vienna Universal Exhibition, 1873.

The First Prize of £40 at the Royal Agricultural Society's Latest Trials, Cardiff, July, 1872.

Special Gold Medal, Gothenburg, 1871.

Prize at the Triennial Trials of the Royal Agricultural Society of of England, Bury St. Edmunds, 1867.

First Prize of £50, Great Yorkshire Show, Doncaster.

With numerous other First Prizes, Medals, &c.

The above Engraving represents one of their Prize Steam Thrashing Machines, adapted for preparing the Grain for Market at one operation.

The foregoing Engraving represents

MARSHALL'S IMPROVED

Portuble Steum Thrushing Anthines

Their Machines have a high reputation throughout England, the Continent, and the Colonies.

LONDON

YORK,

All the working parts, including the elevators and other portions of the mechanism are within the frame, thus protected from the weather and derangement in travelling, yet they are as readily accessible for examination and adjustment as if fixed outside. The straw and chaff being delivered at one end of the machine away from the engine, and the finished corn deposited into sacks at opposite end, entirely clear of the dust and dirt. The superior sample of corn they produce by means of the Improved Corn Cleaner, the grain being delivered in that bright uniform condition which gives it the highest market value.

These Machines gained the Highest Award at the Melbourne International Exhibition, 1880-81; also, Two Gold Medals for Portable Engines and Thrashing Machines from the Victorian Agricultural Society.

THE McCORMICK

NEW STEEL

Harvester and Binder

WITH SQUARE STEEL TUBE FRAME. ... -



MELB

Universally acknowledged to be "THE BEST IN THE WORLD."

ADELAIDE.

ONDON,

NEW YORK,

LONDON,

YORK,

THE McCORMICK

IMPROVED

New Steef Harvesteg and Binder.

The improvements are so numerous and so important in the McCormick Harvester and Binder for the coming season that we find it difficult to condense a description of them in reasonable bounds.

THE MAIN FRAME is now made of two-inch square steel tube, a form that secures the greatest strength from a given amount of metal.

THE GEAR FRAME is not on the same plane with the main frame, as most of the competing machines are built, but is cushioned up about six inches higher, thus elevating the gearing out of the dirt and loose straws so liable to be picked up when the gearing lies low.

THE MAIN WHEEL has metal spokes cast solid into the hub. The outer end of the spoke is provided with an adjusting nut with a large flange bearing against the rim of the wheel. It is easy to get at, and can be tightened quickly with an ordinary wrench.

THE STEEL SWAY BAR on the main frame between the platform and main wheel working on a centre pivot, accurately balanced in all its motions; it is driven by a steel pitman with adjustable brass boxes and connected to a steel crank pin.

NEW RAISING AND LOWERING ARRANGEMENT whereby the machine can be set to any height by simply turning a crank, which is always in place, convenient and ready for use in its operation. This is a feature that will be much appreciated.

YORK

SYDNEY,

McLEAN BROTHERS, RIGG & CO.,

THE GRAIN WHEEL can be raised or lowered by a lever with pawl and ratchet movement, and when set to any given height the lever can be dropped out of the way.

THE DIVIDER or grain wheel side of the platform is made of square steel tube in one continuous piece, from rear of the platform to the point of the divider, giving it great strength combined with lightness.

THE REEL is acknowledged to be the most efficient and easiest to handle in the worst lodged or tangled grain. It has the longest bearings making it run light, steady, and without any tendency to spring in any possible way.

NEW BINDER. By the adoption of this Binder two gear wheels and sixteen other pieces have been dispensed with, thus making the binder considerably lighter than heretofore. It can be instantly set to make any of four different sizes of bundles, and in making these changes it does not disarrange any other part of the mechanism or involve adjustment of other parts, so common in other machines.

Steel and Iron have been substituted for Wood in every part of the machine where it can be done to advantage.

The McCormick is not only the neatest but the lightest draught machine in the market.

MEASURING CORN OR GRAIN IN THE BIN.

Rule.—Remove the decimal point one place to the left in the number of cubic feet, and multiply by eight, adding $4\frac{1}{2}$ bushels to every thousand, because $\frac{8}{10}$ of the number of cubic feet is nearly the number of bushels. To measure corn on the ear, remove the decimal point one place to the left, divide by two and multiply by nine, thus in a crib of 3,200 cubic feet how many bushels?

Solution—2) 320.0

 $160 \times 9 = 1440$.

McCORMICK

LIGHT "DAISY"

SELF-RAKE REAPER

-mr & & & m

SYDNEY,

OURNE,

MELB

This is a new, light, cheap, and effective side-delivery Sheafer, though abundantly strong and efficient, and gets through its work with ease under all circumstances.

Both ends of the platform can be raised or lowered by a lever, while another lever tilts the cutting edge and platform to any angle required in picking up lodged or fallen grain, and these changes can be made while the driver is in his seat, and while the machine is in motion. There is no cog gearing in the main wheel to accumulate dirt and straw and provoke choking.

Its rakes have been improved, and the tripping devices made so simple that a child can understand them, while the operator can size the bundles to suit the grain. This machine is well named the "Daisy," for it is a light, neat, handy little reaper.

ADELAIDE.

NEW YORK,

THE McCORMICK

IRON MOWER

SYDNEY

MELBOURNE,



The Best and Most Reliable

Machine made.

THE

MCCORNICK MOWER

Is a Front-Cut Machine, having its gearing completely encased from dirt, and yet is easily accessible to all its parts. Its driving wheels are high, giving great power to the cutter, and making it very easy of draught. The Pitman Rod is kept in strict line with the cutting apparatus, so that any friction or binding is rendered impossible. The main connecting cross braces are made of steel instead of iron, thus giving GREATER STRENGTH AND LIGHTNESS. It can be suddenly stopped and as suddenly started again in the most difficult places in the paddock, without having to clear the guards or give speed to the knife.

LONDON

TO FIND THE NUMBER OF TONS OF HAY IN OLD STACKS.

Rule.—Find the area of the base in square yards; then multiply the area of the base by half the altitude of the stack in yards, and divide the product by 15; the quotient will be the number of tons.

EXAMPLE.—How many tons of hay in a circular stack, whose diameter at the base is 8 yards, and height 9 yards?

Solution.—50,265, area of base in square yards, $\times 4\frac{1}{2}$ half the altitude, = $226.192 \div 15 = 15.079$ tons.

NEW TIGER



SYDNEY

MELB

This Rake is self-discharging by a slight pressure of the foot. A hand-lever is attached to each Rake, so that the operator can use either the foot or hand. The teeth can be adjusted to any position required, and will rake heavy as well as light crops. The teeth are made of extra quality of spring steel, and will stand the severest test and usage. They are so suspended that they have full liberty to fall into hollows or furrows, and to adapt themselves to the irregularities of the surface, and, being coupled, they rake clean, and are not liable to get loose or out of shape.

SQUARE CISTERNS.

Rule.—Multiply the length in inches by the width in inches and that product by the depth in inches and divide the whole product by 231.

Example.—How many gallons in a cistern 6 feet long, 3 feet wide and 4 feet deep?

Solution.—72 inches in length \times 36 inches width, \times 48 inches depth = $124416 \div 231 = 538.59$ gallons.

ADELAIDE.

NEW YORK.

"THE COMING PLOUGH."

The New Wheeled Moline

A Plough of the Times, made to suit the Demands of the Times. Light in Weight and Light in Draught.

THE NEW MOLINE

Is pre-eminently

The Horse's Friend and the Ploughman's Favourite.

Compactly and solidly put together, extremely simple, and built for durability and strength, it has been constructed to meet the requirements of all kinds of ploughing.

It is made mainly of Steel.

MELB

It has every advantage over a Hand Plough, in extremely light draft, more uniform depth of furrow, and better work. It is operated with a lever, and does not require any handling in turning.


→ Illustrated Price-Lists →

Gratis at our Warehouse, 41 and 43, Hindley Street, Adelaide.

ADELAIDE.

NEW YORK,

EDWARDS' SCARIFIERS.



With Single or Reversible-ended Tines.

The following are a few of the advantages gained by using this Implement:—

They save a lot of time and labour.

They are light of draught.

SYDNEY

MELB

They are strong and durable.

They can be set for any depth.

They cleanse and pulverize the land.

CAPACITY OF CISTERNS.

FOR EACH TEN INCHES IN DEPTH

| 25 ft | t, in dia | ameter hol | ds 3059 g | gals. | | ft. | in di | ameter holds | 239 g | gals. |
|-------|-----------|------------|-----------|-------|---|---------------|-------|--------------|-------|-------|
| 20 | 6.6 | E C | 1958 | 66 | | 31/2 | EE | 66 | 206 | 66 |
| 15 | 6.6 | £ 6 | 1101 | 6.6 | |) | 6.6 | 4 6 | 176 | 4.4 |
| 14 | 6.6 | 66 | 959 | 6.6 | Ē | 5 | 6.6 | 66 | 122 | 4 6 |
| 13 | 66 | 6.6 | 827 | 4.6 | 4 | £ <u>₹</u> | 44 | 6.6 | 99 | 6.6 |
| 12 | 4.6 | 4.6 | 705 | 6.6 | 2 | 1 | 4.6 | 4.6 | 78 | 66 |
| 11 | 6.6 | 6.6 | 592 | 6.6 | | } | 66 | 6.6 | 44 | 4.6 |
| 10 | 6.6 | 6. | 489 | £ 6 | _ | $\frac{1}{2}$ | ٤, | 4.6 | 30 | 6.6 |
| 9 | 66 | 6.6 | 396 | 44 | 9 | | 6.6 | 4.6 | 19 | 66 |
| 8 | 66 | 6.6 | 313 | 4. | 1 | • | | | 19 | |

THE "HALLADAY" STANDARD WINDMILLS.



MELB

Perfectly Self-Regulating, and safe in the heaviest gale that ever blew.

ADELAIDE.

LONDON,

NEW YORK,

-BH . Ry 1

10

MELMER

LONDON

Z

m

>

YORK,

STANDARD

WIND & CEARED WINDMILLS.

SYDNEY

MELB

nd power has, until recently, been but little appreciated in Australia, duntil the last few years the Windmill has been thrown into disuse, lthough in the early days many of the old-fashioned and dangeror's kinds were used for grinding corn, pumping water, &c.

The principal reasons which caused them to be discarded were, that in a galet of wind it was almost impossible to avoid a wreck, whilst, if it did not break up, it was always dangerous to approach, in consequence of it, papid revolutions; another reason was that, through faults in cons vion, it required so strong a wind to work it, much of its power being absorbed in turning itself. Some of those defects exist in some of the modern mills now in use in the colonies, and several of those which are described as self-regulating and safe are really not so. Seldom do violent gales occur withou accidents of some kind occurring to them. In describing the "HALLADAY" WINDMILL, we can positively assert that no instance has ever occurred of accident or injury happening to one of them in the strongest gale. Some hundreds of these Mills are now in use in South Australia alone, and the universal verdict is that it has no equal. We are pumping water at great depths, with pumps specially constructed for Windmill power.

Recently the "HALLADAY" GEARED MILLS have come into considerable use. We can supply these in three sizes, viz., 14, 16, and 22 feet, and where such work as chaff-cutting, corn-crushing, and pumping, or the ordinary work of a farm, usually accomplished with horse-works. The GEARED WINDMILL is found to be a cheap and most effective power, and one which we are convinced will come into almost universal use when its capabilities are better known.

We have sold some now in use which can be seen with the IXL Feed Mill, crushing in an ordinary wind 20 bushels of grain per hour. These Mills have all the good qualities possessed by the ordinary "HALLA-DAY" MILLS built for pumping only.

We are quite aware that there are many lower-priced Mills in the market, but for endurance, lightness of running (thereby giving a greater number of strokes to the pump per hour), there is nothing at present to compare with the "HALLADAY." We have instances where our Mills have run for four years without a shilling expenditure for repairs to either Mill or Pump, excepting an occasional coat of paint. We do not claim for the "HALLADAY" that it is the lowest in price first cost, but we do claim that it will last longer without repair, pump more water in light winds per hour, and is positively safe in the strongest gale that ever blew, and that in the long run it is the cheapest as it is acknowledged to be the best yet introduced. On the following pages we subjoin some testimonials testifying to their efficiency, and we can show a large number of others received from all parts of the colony.

MELB

LONDON

WINDMILL I SONIALS.

Withithalightelight of the little of the contributions

Sa rth, October 1,,

Messrs, McLean Bros., Rigg, & Co. Dear Sirs,—The 12 ft. Halliday Standard Windmill , are you last March is working well. I thought I would give i before saying anything about it, which I have done, and am had able to testify to the genuineness of the article. My well is 50 and the Mill gives 400 gallons per hour with a fair breeze—that 5-in. stroke; the 7-in. would give a lot more water per hour, but ould require a moderate wind to drive it, whereas little wind will 5-in. stroke. I water 50 head of horses and cattle every day only the 5-in., and have only one 400 gallon tank to reserve the water, and never left the Mill open at night, and never have been without water; yet it takes so little wind to work it that I have no difficulty in k eping the tank full. The Mill is all that I could desire, and I would not be without one if I had to pay double as much for one, It can be regul 'ad by the lever to go as slow as you like, no matter how hard the w blows, so that there is little danger of anything breaking if it is attended to. I can recommend the Halladay Standard Mill to anyone as a good Mill, and will answer their purpose well when there is a lot of stock to water.

I remain, dear Sirs, yours truly,

GEORGE CRAWFORD.

N.B.—You can make any use of this that you may think proper.—G. C.

Springfield, Mt. Crawford, Feb. 26, 1884.

Messrs. McLean Bros., Rigg, & Co.

Dear Sirs, The Standard Halladay Windmills you supplied to the Strangways Springs Station have exceeded your representations and those of the maker as to power, and are quite up to them in other respects. One of them raised 2,000 gallons of water per hour to height of 140 feet in an ordinarily strong wind, working a double-action 4-in. pump. When properly mounted and regulated in doing which no difficulty was found) the Mi.l is safe and self-regulating in the strongest wind, the only attention required being to oil it.

Yours truly, JOHN WARREN.

Kooringa, March 2, 1883.

Messrs. McLean Bros., Rigg, & Co., Adelaide.

Dear Sirs -It is now three months since I erected a Halladay Windmill, and it affords me pleasure in testifying to the thorough way in which it works. My well is 35 ft. deep, and the Windmill will force water 35 ft. above the surface. I have no doubt it will force it further, but I have only tested it this much. It will pump 600 gallons of water per hour easily, and it is astonishing the amount of labour it saves. I think anyone who has water at a reasonable depth would never regret investing in a Halladay Windmill, as, with a reservoir attached, they would have a constant supply of water. A child of six years of age can throw the Windmill in or out of gear.

I am, dear Sirs, yours truly,

JOHN LEWIS.

Pegiona, Stirling West, December 2, 1882.

Messrs. McLean Bros., Higg, & Jo., Adelaide.

Dear Sirs,—I am much pleased with the 10-ft. Halladay Windmill I purchased from you. It more than answers my expectations and exceeds your representations in regard to simplicity, as well as efficiency. It works well in a light breeze, easily raising the 2-in. column of water; ilst in the strongest gales we get here it simply stops working, and is ite safe. I require another of the same size for a different depth of ell, and win give you in the strong in a few days, and am

Dear Sirs, yours truly,

W. R. CAVE.

Payneham, February 21, 1884.

Messrs AcLean Bros., Rigg, & Co.

SYDNEY,

OURNE

MELB

Do Sirs,—In answer to your note as to how my Mill is working, I have much pleasure in bearing testimony to its many excellent qualities. You guaranteed me about 300 gallons per hour; but, notwithstanding my tanks being at an elevation of 65 ft. from the bottom of the well and 170 ft. distance from the well, I obtain from 500 to 600 gallons per hour in an ordinary wind. I would not like to be without my Mill for double its cost, as it answers every purpose and more than fulfils my expectations.

Yours faithfully,

B. JOHNS.

Laura, March 7, 1883.

Messrs. McLean Bros., Rigg, & Co., Adelaide.

Dear Sirs In reply to your enquiries re Halladay Windmill we had from you in November, 1881, we have much pleasure in saying that it has given every satisfaction, and it is all that is claimed to be, a thoroughly good and perfectly reliable Mill. It is the only one we have had to do with or seen during an experience of over twenty years among windmills, that is completely self-acting, as it matters not what wind or what work it has to do with, it will not go above a certain speed, but, when the wind is too strong, eases itself and returns to the wind as it lulls. We have every confidence in recommending it to anyone who requires a good reliable Mill.

We are, dear Sirs, yours, &c.,

THOS. FORSAITH & CO., Machinists, &c., Laura.

Nalang, March 10, 1883.

Messrs. McLean Bros., Rigg, & Co., Adelaide.

Dear Sirs,—I have had the two Halladay Mills (12 ft), that I bought from you at work for some time, and am satisfied with them. They will water from 4,000 to 5,000 sheep each, if not more. Mine are both lifting water 70 feet. I intend putting up more of them before next summer.

Yours faithfully,

D. SIMPSON.

Orroroo, September 10, 1883.

Messrs. McLean, Bros., Rigg, & Co.

Sirs,—The 10 ft. Mill I purchased of you has now been at work for about three months. I am much pleased with it. It pumps quite as much water as I require, and in the stormy winds we get here it is quite safe, and simply stops working until the wind blows lighter. You have not in any way overstated the good qualities it possesses.

Yours truly,

C. C. BRICE.

Dear Sirs, -The Halladay Windmill I purchased from you has proved a perfect success. It has now been working for nearly ten months, during which time it has pumped water for over three thousand (3,000) sheep, and would have pumped enough for twenty thousand (20,000) and about forty (40) horses. It works with the slightest wind, and withstands the most terrific storms. I have no hesitation in recommending these mills as the best for the country, both for usefulness and simplicity.

Respectfully yours,

T. HOPE MURRAY.

"The Rocks," near Border Town, October 15th, 1884.

Messrs. McLean Bros., Rigg, & Co., Adelaide.

Gentlemen,-In answer to numerous enquiries as to the working and lasting powers of the Halladay Standard Windmill, I beg to state that the 12-ft. Mill I bought of you in May, 1881, was erected the following spring, and has been in constant work ever since. It supplies my house, horses, and cows the whole year, and about 1,200 sheep in summer. It has now been at work for three years, and has not cost me a shilling for repairs to either Mill or Pump. I cannot speak too highly of it.

I am, Gentlemen, yours faithfully,

C. W. SCRIVEN.

LONDON

ZE

Vale of Heath Farm, Terowie, Feb. 22, 1884.


Messrs. Bleechmore Bros., Agents.

Gentlemen,—I have much pleasure in informing you that the Halladay Windmill (10 ft.) purchased from you in September last, has given me every satisfaction. I have watered 800 sheep and all farm stock daily without any hitch. The Mill has not worked more than three hours per day on the average. I have found her thoroughly self-regulating. The Mill has done everything you represented her to do, and I would not do without her on any consideration.

> Yours truly, G. K. JENKINS.



SYDNEY,



elevation to be overcome.

MELBOURNE,

SYDNEY,

DEPTHS ARIOUS AT WINDMILLS 01 CAPACITIES AND SIZES

of work it will do. The best way to understand the power of a Mill is by the amount

| j | PUMPING | PUMPING 25 FEET | PUMPING 50 FEET. | 50 Feet. | PUMPING 100 FEET. | 100 FEET. | PUMPING | PUMPING 150 FEET. PUMPING 200 FEET. | PUMPING | 200 Feet. |
|----------------------|------------------|----------------------|------------------|----------------------|--------------------|----------------------|--------------------|---------------------------------------|------------------|----------------------|
| DIAMETER OF MILL. | Size of Pump. | Gallons per Hour. | Size of Pump | Gallons per Hour, | Size of Pump. | Gallons per Hour, | Size of Pump. | (fallons per Hour. | Size of Pump. | Gallons per Hour. |
| | | | | | 1 | | | | | |
| 10 feet | 4 in. | 009 | ni 8 | 300 | 3 in. | 150 | ; | : | ; | * |
| 12 feet | 5 in. | 1,100 | 4 in. | 550 | 3 in. | 270 | 2½ in. | 180 | : | : |
| 13 feet | ő in. | 1,200 | 4 in. | 009 | 3 in. | 300 | $2\frac{1}{2}$ in. | 200 | : | : |
| 14 feet | 6 in. | 1,400 | 4 <u>4</u> in. | 200 | ,3½ in. | 350 | 3 in. | 230 | : | : |
| 16 feet | 6 in. | 1,800 | 5 in. | 000 | $3\frac{1}{2}$ in. | 450 | 3 in. | 300 | 3 in. | 200 |
| 20 feet | 6 in. | 4,000 | 5 in. | 2,000 | ő in. | 1,000 | 4½ in. | 650 | T. | 500 |
| | | *** | | | | | | | | _ |

BROTHERS,

McLEAN

RIGG

8


CO.,

The nade upon the basis of a 10-mile breeze, or a wind velocity of 15 feet per second. The above calculations are m

effective horse-power is taken at ONE HALF the theoretical.

To obtain these results the Mills must be attached to the Pumps direct. It is safe to calculate on a good Windmill producing these results seven or eight hours daily, on an average, throughout the year. The maximum results possible are of course very much greater. The Mills are capable of pumping four times the quantities mentioned above.

Not only is the diameter of the Pump increased in proportion to the size of the Mill, but the length of stroke may also be by one Mill, according to the amount of water required, and limited only by the Two or more Pumps can be operated increased at the same time.



Force and Lift Pumps.

SINGLE-ACTING

FORCE AND LIFT

LONDON


ZEY

YORK,



Fitted with Air Chamber.

SUITABLE FOR WINDMILLS.



DOUBLE AND TREBLE-BARREL

F WERS

By Various Makers.

Particulars on Application.

THE TO ALLEY

COPPER OR BRASS-LINED '

RORGE AND LIEU PUMPS

With Copper Air Chamber.


For Deep Wells.

These Pumps are strongly recommended for very deep wells, and are most substantially made and well fitted throughout. They are fitted with brass valve seats, brass spindles, separate cast-iron bends and check valves, and doors for giving easy access to the valves.

MELBOURNE



Fitted with Air Chamber.



SYDNEY

MELB

DOUGLAS

PUMPS.

POUGLAS LIFT PUMPS

ON BASE.

FOR HAND POWER ONLY.

No. $1-2\frac{1}{4}$ inch, for 1 inch Pipe

No. $2-2\frac{1}{2}$ " $1\frac{1}{4}$

No. $3-2\frac{3}{4}$ " $1\frac{1}{4}$ " No. 4-3 " $1\frac{1}{2}$ "

No. $5 - 3\frac{1}{4}$ " $1\frac{1}{2}$ "

No. 6-3 $\frac{1}{2}$



PUMPS

OF

EVERY

DESCRIPTION

IMPROVED

CHAIN

Water-Lifters

A Pump will suck almost any distance, horizontally, provided the pipes and connections are perfectly air-tight.

EVANS'

Force & Lift Pumps

These Pumps are fitted with Brass Spindles and Valves.

No. 4—3 inch for $1\frac{1}{2}$ inch Pipe

LONDON,

YORK

No. $5 - 3\frac{1}{4}$

No. $6 - 3\frac{1}{2}$ " 2

No. 8-4 " 2

With Copper Air Chamber.

IRON AND BRASS

(English and American),

BOLTED OR SCREWED HEADS.



SYDNEY,

NOTES ON PUMPS.

compare their merits, but only to draw attention to a few of the leading points by which a choice may be arrived at. The quantity of water required in a given time, and the height of discharge above water level given, the kind of force available, Manual, Animal, Steam or Wind Power, the special purpose of the Pump whether temporary or permanent, for raising large volumes to a small height, or moderate quantity at a greater elevation, the location of the Pump, the horizontal distance of discharge from well or stream, whether the water is fresh or mineralised.

We have given very special attention to this branch of our business and keep a full stock of English, American, and Colonial-made Pumps.

TON WEIGHT AND TON MEASURE.


A ton of hay or any other coarse bulky article usually sold by that measure is 20 gross hundreds, that is 2,240 lbs. But in many places it has become the custom to count only 2,000 lbs. for a ton. In freighting ships 42 cubic feet are allowed to a ton; in the measurement of timber 40 solid feet if round, and 50 if square, make a ton.

C. IL. Deiberer 5

DOUBLE STANDARD

"Accessible" Centrifugal Pumps

SYDNEY,



ADELAIDE.

36

LONDON,

NEW YORK,

| | | 1 | Vic | LEAN | BF | 10 | ТН | EF | RS | 5 | RI | GG | | 84 | C | O., | | | | ī | ١ |
|------------------|---|-----------------------|------------------------|--|------------|----------------------|------------|-------|-------|-------|------------|--------|------------|--|---------|--------------------------|---------|-------|---|------|---|
| | 1 | | | Hevolu- tions per minute. | | 2371 | 2108 | 1897 | 1795 | 1831 | 1355 | 1185 | 918 | 791 | 632 | 527 | 452 | 395 | | | l |
| | | | 80 | H, P. | | භ | 4 | 00 | 16 | 100 | 20 | 30 | 40 | : | : | : | : | : | | | l |
| | | | | Hevolu- tions per minute. Nominal | | 2232 | 1984 | 1785 | 1623 | 1488 | 1275 | 1116 | 872 | 744 | 595 | 476 | 425 | 396 | | | ۱ |
| | | | 20 | Nominal H.P. required. | <u> </u> | 61 | 41 | 60 | 14 | 16 | 18 | 26 | 50 | 48 | : | : | : | : | | | l |
| LBOURNE, SYDNEY, | Į | H | 0 | Hevolu- tions per minute. | | 2083 | 1852 | 1666 | 1515 | 1389 | 1190 | 1041 | 85 | 605 | 555 | 463 | 397 | 317 | | | l |
| | R. | H H H H H | ğ | Nominal H.P. required. | | G4 | ಣ | 9 | 12 | 14 | 16 | 22 | 30 | 40 | 0.2 | * | : | : | | | l |
| | WER LIST | | 0 | Hevolu- tions per minute. | | 1708 1708 1537 | 1297 | 1281 | 1098 | 808 | 692 | 019 | 513 | 427 | 366 | 330 | | | I | | |
| | | | 5 | Mominal H.P. required. | | 63 | co | တ္ | လ | 10 | 13 | 18 | 25 | 85 125 | 09 | : | | | | LONI | |
| | | | 40 | Hevolu- tions per iminute. | | 1766 | 1570 | 1413 | 1285 | 1161 | 1009 | 800 | 707 | 580 | 471 | 287 | 336 | 290 | | VD0 | 4 |
| | | H | | Mominal H.P. required. | | г | 64 | ₹! | 00 | Ç | 10 | 15 | 20 | 28 | \$ | : | : | : | | Ž | |
| | | Ħ | 30 | Revolu- tions per minute. | | 1538 | 1336 | 1230 | 1118 | 1025 | 00 | 694 | 615 | 512 | 410 | 342 | 293 | 256 | | | |
| | 0 | H | | Mominal H,P, required, | | Н | 64 | ක | 9 | Ŀ- | 00 | H | 19 | 50 | 35 | 90 | : | : | | | 1 |
| | Н | | 20 | Revo- lutions per minute. | | 1298 | 1153 | 1038 | 914 | 865 | 741 | 679 | 619 | 4533 | 346 | 288 | 247 | 216 | | | |
| | А | | | Nominal H.P. required. | | 1 | ۶-l | G1 | ᅰ | ıcı | 9 | 00 | 10 | 14 | 25 | 6.2 PC3 | 20 | 09 | - | | |
| | AA | | 10 | Revoln- tions per minute. | | 983 | 00 73 | 786 | 212 | 655 | 199 | 491 | 293 | 23 23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25 | 262 | 218 | 187 | 164 | | | |
| | 4 | | | Mominal H P. required. | | - | 1 | - | 72 | ್ | 60 | 41 | 9 | 00 | 12 | 17 | 52 | 08 | _ | ZEW | 1 |
| BO | 日日 | | | | wid.h | ŝ | V 4 | 4 | 9 ; | 00 | ф. 3 | 9 | 6 4 | 01 " | 21 ,, |) 3 11 | 37 15 | 31 33 | | < | |
| MEL | | | | Driving Pulley. | | ** | 4 by | ľΩ | 9 | 00 | | 2 | 14 | 16 | 00 | 3 | 3 | 3 | | OR | |
| | H. | | | | | ବର | 4 or | 103 | », 9 | 5 40 | ; co | 9 | 10 " | 11 " | 12 6 | 14 8 | - 45 E | 16 " | | 7 | |
| | Q | | | | | by | # | 2 | 73 00 | 11 | ਤੋਂ ਜੁਲ | 5 | ¥ | ======================================= | 35 (| " | * | 4 | | | |
| | | | | | diam width | | 4 | | | | 177 | 12 | 16 | 18 | 82 | 771 1771 | 30 | 98 | | | |
| | | | guan- raised per | | | 75 gallons | lyl hy | 23 | Ş | 3 | 31 | 33 | lati ub | 33 | 3 | ij | \$ | ä | | | |
| | Approximate tity of water in gallons p minute. | | | | | 75 | 150 | 300 | 500 | 750 | 1050 | 1575 | 2150 | 3000 | 5000 | 7500 | 11250 | 15500 | | | |
| | | | | | | 50 to | 100 " | 200 6 | 350 * | 500 " | 004 | 1050 " | 1500 ** | 2000 + | 3500 ** | 5000 | 7500 ** | 0000 | | | |
| | | | Flanges. | | | 63 | 00 | ¢ | 103 | 62 | 4 | 15 | <u></u> | 0% | 23 | 100 100 100 100 | 30 | 89 | | | |
| 1 | | | | Diameter Pipes. | 1 | | <u>ರ</u> ಾ | 4 | - 2 | တ | 1- | 00 | 10 | 12 | 15 | 18 | 21 | 24 | | | |
| | | | ,,, | 7 | | | ٩D | FI | Δ | ח | E. | | | | | | | | | | |
| - | | | | | | | 70 | | | | | | | | | | | | | | |

Ш

5

MESSRS, C. L. HETT,

Of Brigg, Lincolnshire, England, have for many years directed their special energies in the direction of simplifying and perfecting

THE

&CENTRIFUGAL PUMP&

and it is now claimed for them that they raise a greater quantity of water than Pumps of other construction at a given consumption of fuel and horse power applied, thereby saving considerable first cost in the purchase of a smaller engine than is usually employed. Accessibility to valves and all interior parts of Pump is given in the simplest manner by the removal of one side, which can be done and replaced in twenty minutes without even the trouble of removing the belt.

SYDNEY,

MELBOURNE,

Two 6-in. Pumps were most successfully employed in saving the S.S. "Palmerston," wrecked off Port Lincoln February, 1887.

Several of them are doing splendid work at Mr. Fletcher's New Graving Dock, Port Adelaide.

A number of Pumps for irrigation purposes are now most successfully working, both on the Darling and Murray, which have been supplied by us.

At the Sewage Farm an 8-in. Pump, worked by a 4-h.p. Engine, is much exceeding the quantity of water guaranteed by us.


We are satisfied that a great future is in store for trade in this class of machinery, and we have taken great care to find out by most careful enquiry which was the most satisfactory in its working of the various kinds manufactured, with the result that in India, Egypt, China, and other irrigating countries we find that the HETT PUMP is almost universally adopted. Inspection of Stock invited.

BENTALL'S

C.D.E.

CELETECTE

SYDNEY



Fitted with Rising Mouth, $9\frac{1}{4}$ -in. x $3\frac{1}{2}$ -in.

Cuts three lengths, viz., $\frac{1}{4}$ -in., $\frac{7}{16}$ -in., and $\frac{7}{8}$ -in.

This Machine is suitable for either hand or horse-power, and can be worked by one horse. It has a stopping and reversing motion, and the gearing is all covered.

ADELAIDE.

39

LONDON


NEW

BENTALL'S

C. E. E.

CHAFFCUTTER.

LONDON



Fitted with Rising Mouthpiece, $9\frac{1}{4}$ -in. x 4-in.

Cuts three lengths, $\frac{1}{4}$ -in., $\frac{7}{16}$ -in., and $\frac{7}{8}$ -in.

ME


This is the best and cheapest Machine manufactured, and can be strongly recommended for either hand or horse-power. It has a stopping and reversing motion, and is fitted with two handles. All the gearing is covered from dust, &c.

THE IXL IRON FEED GRINDER.

OVER FIFTEEN YEARS IN USE.

ALL IRON BUT THE HOPPER.

Can be run equally well by Wind, Horse, or Steam Power.



Has Safety Pin which will break when Nails, Screws, Nuts, etc., get between the Plates, thus preventing any damage.

 $\leftarrow \sim \rightarrow$

Has a Steel Upright Shaft. The Regulating Screw is up where it can be operated handily.

The Cheapest, Most Durable, and Perfect Iron Feed Mill ever constructed.

Everything in relation to it is as simple as a common Spice or Coffee Mill, and as easily managed. The circular chilled iron plates that do the grinding, unlike any other Mill ever before constructed, have a grinding surface on both sides; when one side has been dulled, the other can be used by reversing the plates; thus one set of plates is equal in value to two on the old plan.

An extra set of plates accompanies each Mill; when worn, the plates may be easily and quickly removed, and the sharp ones substituted.

The lower grinding plate is set upon a universal joint, giving it play and ease, instead of rigidity, in its motion—while the rapidity with which it turns holds it even to its work—nails, small pieces of metal or stone fed in with the grain are by this arrangement allowed to pass through without much injury to plates; and there is no necessity of a skilled mechanic to fit it in place as with many other Mills.

ADELAIDE.

YORK

SYDNEY

R. HUNT & CO.'S

PATENT COMBINED


CHAFFCUTTERS

AND

SYDNEY,

MELB

GORN GRUSHERS:



The "Duplex."

R. HUNT & CO.'S

EMPLEX" WACHINE

As illustrated on the opposite page, will be found specially advantageous to those keeping two or three horses, and having but little space at their disposal, as they combine in a compact machine the most essential requirements of the stable.

LONDON

Z

8

The CHAFFCUTTERS have rising mouths 8\frac{1}{4}-in. by 3-in., and will cut about two cwt. of Chaff per hour. They are fitted with extra large fly-wheels, and can be fitted with convex or concave knives.


There is a spring at the back of the fly-wheel so that when grinding corn the knives can be removed from the face by simply slacking the nut in front: a catch is provided to hold the spanner required for this purpose so that it may always be to hand.

The "DUPLEX" has a Solid Steel Roller, arranged for cutting Oats or Maize on Biddell's Principle, and is fitted with a patent cutting plate; it is fitted with a capacious hopper, and will crush from 2½ to 3 bushels per hour.

ALL GEARING ENCLOSED WITH A NEAT CAST-IRON COVER.

R. HUNT & CO.'S

HORSE GEALS.



SYDNEY

MELBOURNE,

With Separate Intermediate Motion.

All Gears are fitted with Improved Spring Clutches, easily adjustable to run either way, without extra charge.

Speed—Pinion Spindle of Motion, 35, 30, or 26 to one of the Horse.

R. HUNT & CO.'S

HORSE GEARS



With Increasing Motion

On same Frame as the Driving-Wheel.

Various Sizes in Stock.


SYDNEY,

ADELAIDE.

NEW YORK,

SPUR-WHEDL

HORSE GEARS.




SYDNEY

MELBOURNE,

This Gear is designed for cheapness, and is suitable for driving small Thrashing Machines, Chaffcutters, and other Agricultural Machinery. It will be found a thoroughly serviceable and efficient Machine.

R. HUNT & CO. S

HORSE GEARS



The above Engraving shows a Two-Horse Gear and Double Gear Intermediate Motion, arranged for driving a Chaffcutter, Root Pulper, and Corn Crusher.


Full particulars on application.

MELB

ADELAIDE.

NEW YORK


WALKER'S PATENT



SYDNEY,

MELB

Illustration showing Strainers applied at every alternate 10-chain post.



Act of Straining.

WIRE STRAINERS.

ADELAIDE.

NEW YORK,

666011000

WALKER'S PATENT

WIRE STRAINER

AND

PERMANENT FASTENER

Is nothing but a Cast-Iron Roller. No Screw Threads. No Springs. No Ratchets. No Cogs. One man can stretch and fasten much more fencing than two can do in the same time by present methods. Each Strainer carries enough spare wire for immediate use in case of breakage, which can be effected without removing it from the post. Forty (40) Strainers will do a mile of 5-wire fence. Strainers measure 4-in. x 1\frac{5}{8}-in.


MELBC

No directions are necessary, as the mode of working is so simple.

76

BRITANNIA COMPANY'S,

COLCHESTER,



MELB


Self-Acting, Sliding, and Screw

CUTTING LATHES.

ADELAIDE.

NEW YORK

BRITANNIA COMPANY'S, COLCHESTER,



MELE

No. 13 Improved Self-Acting, Sliding, and Screw Cutting GAP BED LATHE, of superior finish, best material and workmanship.


ADELAIDE.

NEW YORK

BRITANNIA COMPANY'S NEW SAW,

Patented 1885.

Specially adapted for Pattern Makers, Cabinet Makers, Joiners, Picture Frame Makers; for Circular, Groove Cutting, Dowelling, and Drilling.




MELB

One Rip, Crosscut, and Grooving Saws. Fret Arm to suspend from ceiling for Fret Cutting, including 3 Saws. 2 Mitre and Crosscut Guages. Adjustable Table at end. 1,500 Revolutions per Minute. A Handle at left can be used as auxiliary to, or in lieu of Treadle. One man cuts 10 feet of inch wood in a minute by treadle power. Weight, about 4 cwt. Size, 2 ft. 9 in. x 2 ft. 3 in.; 3 ft. 5 in. high.

YORK

BRITANNIA COMPANY'S

(Colchester, England)



LONDON

YORK

New Registered

Ē

FRET SAW

No. 7.

BRITANNIA COMPANY'S

(Colchester, England)

Mew Registened Anet Saw,

No. 7.

PRIZE MEDALS AT KENSINGTON, 1884,

Technical Educational Section. 7 Varieties of Fret Saws.

SYDNEY

m,

MEL

PRIZE MEDALS FOR LATHES,

London, Calcutta, Amsterdam, New Zealand. 250 Varieties.

The above FRET SAW has been designed to meet a demand by advanced Fret Cutters and Cabinet Makers for a Strong Saw capable of doing larger work.

The advantages enumerated will be obvious to any Fret Worker:—

- 1.—The Table is oblong, and extends the whole length under the Arm, giving ample room for larger-sized work, and tilts to any required angle for doing Inlaid Work. It is 20 inches from the Saw to the Arm, and will cut \(\frac{5}{8} \) wood easily.
- 2.—The Saw has a true vertical stroke, which is so essential for cutting smoothly and easily.
 - 3.—It is fitted with a durable and efficient Blower.
- 4.—A Presser Foot, B, which can be instantly adjusted to wood of any thickness, prevents the upward jerking of work, which is so much objected to, and which causes such frequent breakage of Saws.
- 5.—It has a Horizontal Drill, which is not visible in the illustration.
- 6.—The Table is fitted with a loose round piece, which can be removed when fixing a Saw, giving a clear view of the Lower Saw Bar.
- 7.—It has a Horizontal Drill Shaft, which will also hold Emery Wheels, Buff Wheels, or Polishing Brushes.

ADELAIDE.

NEW YORK

The

BICYCLES


- AND -

TRICYCLES

SYDNEY,

OURNE,

MELB



MANUFACTURED BY

Z

Messrs, Singer & Con

COVENTRY, ENGLAND.


The Largest Cycle Makers in the World.

SINGER'S BICYCLES,

SYDNEY,

MELB


Which they have specially designed and re-modelled with a view to supplying the numerous body of riders with the very best value at the lowest possible price, and we have no hesitation in saying that their Machines are thoroughly reliable, light, powerful, and strong, containing all the most important features of a Bicycle. Their Bicycles are sent out fitted with ball bearings to front and back wheels, both thoroughly adjustable and dust-proof. Weldless steel-tube backbones. Hollow front forks of weldless steel tube; half-hollow back fork. Very rigid steering head, with long centres, so that they cannot work loose, with long detachable cowhorn handle-bars. Front wheel—Grip spoon brake, gun-metal flanges, and steel spindle to hubs, and spokes screwed direct into the hub. Patent detachable cranks, rubber pedals, long distance saddle, spanner, and oilcan.



SINGER'S

SINGLE AND DOUBLE

TRICYCLES.



The SINGLE MACHINE differs from the above engraving, having the Driving-Chair in the centre. It has ball bearings to all parts except pedals.

MELBO

MOTHS IN CARPETS.

Take a coarse crash towel, wring it out of clear water, spread it smoothly on the carpet, and iron lightly with a hot iron. The steam kills the moths and eggs.

ADELAIDE.


NEW YORK,

SINGER'S

E I A III E III.



MELBOURNE,




Central-geared, Convertible, Telescopic.

NEW HIGH ARM

ff DAVIS

Vertical Feed




SEWING MAGHINE

** 33 AL WES"

VERTICAL FEED

New High Arm Sewing Maghine.



The DAVIS HIGH ARM VERTICAL FEED SEWING MACHINE, both hand and treadle, has recently been greatly improved.

ELB

Σ

It has always since its first introduction enjoyed the reputation of being the lightest running and simplest in its action of any yet offered. The recent improvements have still further placed it ahead of all competitors, the number of parts having been considerably reduced. It does many kinds of work not attempted by any other machine. It is so durable that there is not an instance in the colony of a worn-out machine.

It is rapid, strong, handsome, and its use easier to learn than any other.

YDNEY,

MELBOURNE

Station Requirements.

We have much pleasure in presenting our list of Station Supplies, and wish it to be understood that we have paid special attention to this branch of the business, all goods supplied will be of the best quality. Great care is exercised with any orders we may be favoured with, and customers can always rely upon them having quick despatch.

Anvils

Axes

Augers

Axe Handles

Blacksmiths' Bellows

Bluestone

Bolts and Nuts

Brushes of all kinds

Brooms

Bridles

Brands for Sheep and Cattle

Buckets

Camp Ovens

Caps, Gun

Chains, Bullock

" Trace

" Hobble

" Drag

Dog Traps

Dumping Hoops

" Rivets

Ear Plyers

Earth Scoops

Fencing Standards

" Staples

" Wire

Filters

Grindstones

Guns, Single and Double Barrel

LONDON

YORK

Hames

Hame Straps

Hammocks

Hobbles

Horse Clippers

Hurdles

Galvanized Corrugated Iron

Iron, Bar and Rod

Knives and Forks

" Pocket

" Butchers'

Lanterns

Lamps

Lamp Black

Marking Ink

Nails, all kinds

Oil, Boiled

" Raw

" Kerosine

" Salad

Packing Needles

Paints

Paint Brushes

STATION REQUIREMENTS—continued.

Pannikins

Pitch

Powder, Gun

Portable Forges

Pumps

Raddle

Rabbit Traps

Revolvers

Rifles

Rope, Manila

" Wire

Saws, Crosscut

" Hand

Saddles

Sack Trucks

Shot

Sheep Netting

Shovels

Shears, Sheep

" Garden

Soft Soap

Solder

Spouting and Fixing

Spades

Stencil Plates

" Inks

Steel

Stockholm Tar

Tar, Coal

Tanks, 200 and 400 gallon

Tents

Tarpaulins
Tin Plates

Troughing, Sheep and Cattle

Troughing Feet
" Bolts

Turpentine
Turkey Stone

Twine

Water Bags

" Lifters

Weighing Machines

Weston's Pulley Blocks

White Lead Windmills

Wire Fencing, all kinds

Wire Strainers
" Netting
Wool Baskets

" Packs

' Presses

Also, a large assortment of Smiths', Farriers', Carpenters' Tools, Farm, Dàiry, and Garden Implements, Building, and Furnishing Ironmongery.

Paints, Dry Colours.

We have always a large stock of the following on hand:-

Blacks, Blue

Lakes, Crimson

Ivory

Maroon

Drop

Scarlet

Lamp

Victorian

Vegetable

Pinks, Rose

Blues, Celestial

Dutch

Lime

Reds, Chinese

Prussian

Indian

Ultramarine

Oxide

Browns, Purple

Persian

Spanish

Venetian

Umber

Vermilion

Greens, Bronze

White Lead

Brunswick

Yellows, Lemon Chrome

Chrome

Orange do.

ZEW

Emerald

Ochre

Persian

Quaker

Mineral

READY MIXED PAINTS

In 1, 2, and 4 lb. Tins.

Black

White

Oxide

Blue

Green, Light and Dark

 Red

Chocolate

Yellow

Stone, Light, Medium, and Dark

Paints in Oil.

We have much pleasure in calling the special attention of our customers to the following lines of Paint in Oil:-

White Lead, Champion's Genuine Lead Colour

Pat Driers

Dark Olive

Burnt Umber

Venetian Red

Yellow Ochre

Blue

Black

Brown Umber

Spanish Brown

Buff Colour

Brunswick Green, light, mid., dark Oxford Ochre

Bronze Green

Stone

Yellow

Oxide Red

Yellow Chrome

Purple Brown

Slate

Green

Burnt Sienna

Raw

Vandyke Brown

MASURY'S PAINTS

In $\frac{1}{4}$, $\frac{1}{2}$, and 1 lb. tins, mixed ready for use.

Ochre

Red

OURNE

m

MEL

Turkey Umber

Vermilion

White Flake

Black

Blue

Brown

Chrome

Crimson

Green

PAINT MIXING.

28 lbs. White Lead takes about $1\frac{3}{4}$ gallons Linseed Oil and 1 quart Turpentine, but the proportion will vary according to circumstances.

ADELAIDE.

m

Parnish.

The following is a list of

Messrs. Harland's Varnishes always in stock

In half and one-gallon Tins:-

Body, Pale Durable

Hard Drying

Durable No. 1

Railway

Flatting Best

Gold Size

SYDNEY,

MELBOURNE,

Emerald Japan

Liquid Driers

Carriage, Hard Drying

Best Waggonette

Copal, Fine Pale

Best Hard

Oak, Fine

Best Hard

Inside

Outside

ALSO VARNISH OF OTHER MAKERS KEPT IN STOCK

Mander's, Turner's, Clark's.

OILS.

Boiled Linseed

Raw "

Neatsfoot

Lard

Colza

Olive

Castor

Kerosine

The above may be had in Casks or Drums in 5 and 10 gals.

Brushware.

Brooms, Hair

" Bass

" Scavengers

Banister Brushes

Black Lead "

Brewers' Scrubs

Deck "

Spoke Brushes

Sweeps' Dusters

Hair Scrubs

Cocoa Fibre Scrubs

Grey "

White Scrubs

Adelaide "

Turks' Heads

MELB

Dandy Brushes

Flue

Tube

Horsebody Brushes

66

Oil

Shoe

Polishing

Blacking

Tar

Water

Paint

(all kinds)

ONDON

Z

Sash Tools

Whitewash Brushes

Distemper

•

Hearth

4.6


64



COLONIAL-MADE BRUSHWARE

A Specialty with us. Samples in stock of good value.

COOKING STOVES AND RANGES.



They are all constructed upon the


MOST IMPROVED PRINCIPLES.

Wrought-iron Framed Oven or Roasters, with cast top.

SYDNEY.

MELB

COOKING STOVES



"TRAFFORD."

"Mistress," "Trafford," "Fortress,"
"Little World."

* HEATING STOVES OF EVERY DESCRIPTION *

For Wood, Coal, and Gas.

ADELAIDE.

NEW YORK,

REGISTERED GRATES

Tile Grates

Slow Combustion Grates

Bright Register Grates

Hob Register Grates

Bronze Register Grates Overmantel Registers with Mirrors

Tile Overmantel Registers with Mirrors.

MANTELPIECES

Marble Chimney Pieces

Sicilian and Sienna

Rouge and Black

St. Anne's and Black

Blanc Claire and Sienna Marble Lavande

Bastard Statuary Marble.

MARBLE AND CAST-IRON

CURBS FENDER

Sicilian

Fine Cast Blacked

Best Vein

Best Berlin Black

St. Anne's


Best Berlin Black, with Brass Ball

Bastard Statuary

Mouldings


ESTIMATES GIVEN FOR SPECIAL CHIMNEY PIECES OR ANY KIND OF MARBLE WORK.

SAUSAGE AND MINCING MACHINES.



These Machines are supplied with a filling tube, so that the meat, if preferred in the form of sausages, can be so made up. They can be taken completely to pieces without any difficulty for the purpose of cleaning.

PATENT CHURNS.



SYDNEY,


MELBO

Butter made in 15 Minutes

in

Nos. A, OO, O, 1, 2, 3, 4, 5, and 6.

Washing, Wringing, and Mangling Machines.



NEW WRINGING AND MANGLING MACHINE.


A neat, handy, strong, useful, and compact Machine, with good quarter-cleft sycamore rollers.

Sizes and Prices on applying at 41 and 43, Hindley Street, Adelaide.

SYDNEY

 $\mathbf{\omega}$

MEL



UNIVERSAL WRINGERS

Nos. xx2, $xx1\frac{1}{2}$, xx1.

EVERLASTING CLOTHES LINES

Have been in use for years and are as good as ever. Can be had in different lengths.

Flat and Box Irons, all sizes.

The following is a short list of

WASHHOUSE AND LAUNDRY REQUIREMENTS

Box Irons and Heaters

Buckets

Clothes Wringers

Lines

Pegs

Crimping Machines

Ironing Stoves

Iron Stands

Mangles

Piping Irons

Goffering Tongs

Frilling Irons

TO REMOVE INK STAINS FROM LINEN.

A piece of damp rag dipped into Salts of Lemon and rubbed over ink spots will speedily remove every trace of ink from shirt fronts, &c., &c.

ENAMELLED PLUNGE BATHS

SUITABLE FOR HOTELS OR PUBLIC INSTITUTIONS ALSO,

BATHS-Children's, Foot, Hip, Plunge, Sponge, Shower, Sitz, Travelling.

We have always a large supply of the above in stock.

ICE MAKING MACHINES

These Machines can be seen at work at any time making Ice at the Warehouse 41 and 43, Hindley Street.

Suitable for Family, Hotel, Cafes, Restaurants, and Confectioners' Use.

Will be found invaluable in the Sick Chamber, where cool drinks and application of ice are indispensable.

No COUNTRY HOSPITAL should be without one.

This machine makes Block Ice in a short time at a trifling cost.

BALDWIN'S REFRIGERATORS

In consequence of the great reduction in the price of Ice and the consequent increase in its consumption, we have much pleasure in introducing these Refrigerators, which can be supplied to the public at a moderate rate, and which will be found much more convenient and cleanly than the ordinary Ice Chest at present in use.

SYDNEY

MELBOURNE

Gas Fittings.

CHANDELIERS.

Lacquered and Bronzed, Nickel Plated, and Cut Crystal.

The above in 2, 3, 4, or 5 lights, by the best English makers and of the most modern design.

STRAIGHT AND SCROLL BRACKETS.

Great variety.

HALL AND LOBBY LAMPS.

Splendid assortment.

GAS GLOBES

Of all descriptions.

CAS STOVES.

Atmospheric Nos. 1 and 2. It can be attached to any gas jet by means of a piece of flexible tube.

Kerosine Camps.

An immense assortment to select from.

Hink's Double-Wick Lamps. Defrie's Circular-Wick Lamps.

Climax Circular-Wick Lamps.

KEROSINE CHANDELIERS, 2, 3, 4, and 5 Lights.

KEROSINE HALL LAMPS. KEROSINE BRACKET LAMPS

ADELAIDE.

MELBOURNE

FOLLOWS & BATES'



SYDNEY

OURNE

MELB

The New "Manchester" Lawn Mower is the most simple Machine, as well as the cheapest, made. It will cut either long, short, or wet grass, and will not miss the bents. The Cylinders have five extra strong Steel Cutters, which are easily sharpened and are unbreakable.

The "ANGLO-AMERICAN" has been thoroughly tested, and does all that a Lawn Mower is expected to do, but with about half the usual power to propel it. It is ever ready for mowing the longest grass, in whatever condition, and on the most uneven ground. It is provided with a Grass-Collecting Box and Movable Plate, so that it can be used to distribute the cuttings on the ground or to gather them.

THOS. GREEN & SONS' LAWN MOWERS

All sizes kept in stock, either man or pony-power. These Lawn Mowers are most effective; cut the grass as it grows; never clog; and act upon wet grass as easily as upon dry. They are perfectly adapted to slopes, undulating lawns, and ridges. They are strong and durable. The width varies from 8 to 30 inches.

FORTNAM, FORRESTER, & 60.'S

AND OTHER LEADING MAKERS OF

Lawn Tennis Racquets, Balls, Nets, Poles, Presses, &c.



We are constantly receiving Shipments of the above in all the Latest Designs, and, in soliciting inspection, we have no hesitation in saying our Stock will challenge comparison with any other Establishment in Australia.

THE IMPROVED

"Champion" Lawn Tennis Bat

For which we claim the following advantages:-

Its indestructability; its suitability for hot climates; it will not get out of shape; and can be made any weight.

SUNDRIES.

WATERPROOF BAT CASES,


INDIARUBBER BAT HANDLES,

RULES (Newest Edition),

BALLS, NETS, &c.

YORK

CRICKINI GOODS



BATS.

All warranted of Best Seasoned Wood, well compressed and hammered. Solid (all cane). Treble, double, half, and single cane-handled Bats. Best Match. Best Club. Bats by all best-known makers always kept in stock. Prices on application.

CRICKET BALLS

Of all Descriptions.

STUMPS.

Best Ash Match, complete, with Bails.
Youths' and Boys' Stumps.

Our Cricketing Material is specially selected by an expert—one of the best-known professional cricketers in England.

-m/33-4-2532m

LEG GUARDS,

SYDNEY,

щ

MELB

WICKET-KEEPING GAUNTLETS,

BATTING GLOVES,

CRICKET CARPET BAGS,

CRICKET SPIKES,

TAPE MEASURES, &c.

CHEAVIN'S IMPROVED SELF-ACTING CARBON.

SLACK AND BROWNLOW'S COMPRESSED CHARCOAL FILTERS.

LONDON

₹

YORK.

DOULTON'S SYPHON FILTERS.

POCKET FILTERS, FOR TRAVELLERS' USE.

No house should be without a Filter; don't imagine because the water looks pure that it is so, as it may be full of microscopical impurities.


BUY A FILTER AND HAVE IT FILTERED.

Patent Seltzogenes.

We always have a large stock of these, also the necessary

Powders on hand.

W. & T. AVERY'S PLATFORM WEIGHING MACHINES



Small size, mounted on two wheels.

Strong and heavy pattern Platform Machine, with Back Rail for wool and grain weighing, &c. Constructed entirely of iron, and is unaffected in any climate by the weather.

AVERY'S WEIGHBRIDGES

To weigh Carts, Wagons, &c. All working parts, levers, platform, frame, &c., are made of iron. They are fitted with Relieving Apparatus, which entirety prevents the wear of the knife edges when out of use.

A very large assortment of

AVERT'S SCALES

Of the following kinds always in stock :---

Counter Machines

Gold Scales

Sack Machines

Sugar and Tea Mills

Steelyards

SYDNEY

m

MEL

Best and Common Stand Scales

Weights, Brass and Iron.

General Sundries.

Amateurs' Lathes

Air Bricks

Axe Wedges

Blue Stone

SYDNEY,

MELB

Bolts and Nuts

Breaking-up Hoes

Butchers' Cleavers

Choppers

Knives

Steels

Bullseye Lanterns

Chains, Back

Bullock

Drag

Plough

Tug

Trace

Chimney Cowls

Chaff Knives

Closet Pans

Crosscut Saws

Diamond Cement

Dog Muzzles

Gate Chains

Gas-making Machines

Glass Cntters

Gongs

Grocers' Show Canisters

Hay Lashing

Harrows

Horse Holders

Jewsharps

Land Chains

Lunch Baskets

Luggage Labels

Monkey Chains

Mathematical Instruments

Netting Needles

Oils, Colza

Kerosine

Chinese

" Salad

" Olive

" Sperm

" Palm

" Linseed

" Lard

Padlocks

Paints

Pedometers

Picnic Baskets

Knives

Pistols

Ploughs

Plough Lines

Pocket Oilcans

Filters

" Railway Lanterns

ZE

Revolvers

Ridging

Roller Skates

Rope

Scarifiers

Seedsowers

Seed Drills

Soldering Irons

Caskets

Springs for Doors

Gates

Spud Hooks

Spouting and Fixings

Surveyors' Arrows

Galvanized Corrngated Roofing Kron.

A large stock of all lengths always on hand. For the guidance of friends ordering we supply the following information:—

24-GAUGE.

| 5, | 6, | 7, | 8, | 9 feet lengths. |
|-----|-----|-----|-----|----------------------------------|
| 85, | 70, | 60, | 50, | 45 sheets in case of half a ton. |

26-GAUGE.

| 5, | 6, | 7, | 8, | 9 feet lengths. |
|------|-----|-----|-----|----------------------------------|
| 110, | 90, | 78, | 68, | 60 sheets in case of half a ton. |

28-GAUGE.

| 6, | 7, | 8, | 9 feet lengths. |
|------|-----|-----|----------------------------------|
| 102, | 88, | 75, | 67 sheets in case of half a ton. |

The thickness of Galvanized Iron mostly used is 26-gauge.

Each sheet of Galvanized Corrugated Iron covers two feet in width, allowing for lap.

SPOUTING, RIDGING.

DOWN PIPING,
HEADS AND SHOES,
BRACKETS,

SPIKES AND TUBES, SCREWS AND WASHERS, &c.

There are about 36 Screws and Washers to the pound.

Rooting Felt.

In 25-yard rolls. 32 inches wide.

ADELAIDE.

MELBOURNE.

SYDNEY,

Galvanized Plain Kron.

24-GAUGE.

| 24, | 30, | 36 | inches | wide. |
|------|------|-----|--------|---------|
| 180, | 138, | 110 | sheets | to ton. |

26-GAUGE.

| 24, | 30, | 36 | inches | wide. |
|------|------|-----|--------|---------|
| 220, | 180, | 150 | sheets | to ton. |

28-GAUGE.

| 24, | 30, | 36 | inches v | wide. |
|------|------|-----|----------|--------|
| 254, | 200, | 166 | sheets t | o ton. |

LONDON

NEW

The above are all made in 6 feet lengths.

Manilla and Wire Rope.

As mistakes frequently occur in ordering Ropes by letter, we take this opportunity of informing our friends in the country that Ropes are always measured in circumference: for instance, a rope that is half an inch thick is a one and a-half inch rope, if three-quarters of an inch thick it is called a two and a-quarter inch rope, and so on.

We append the following table in the hope it may prove useful:-

WEIGHT OF MANILLA ROPE PER FATHOM.

| 14 oz., | $1\frac{1}{4}$, | $2\frac{1}{4}$, | $2\frac{3}{4}$, | 3_{16}^{6} , | 41, | $5\frac{1}{2}$, | $7\frac{1}{2}$ lbs. |
|---------|------------------|------------------|------------------|----------------|------------------|------------------|---------------------|
| 2, | $2\frac{1}{2}$, | 3, | $3\frac{1}{2}$, | 4, | $4\frac{1}{2}$, | 5, | 6 inch. |

TABLE OF STEEL WIRE ROPE.

 $1\frac{1}{4}$, $1\frac{3}{8}$, $1\frac{6}{8}$, $1\frac{7}{8}$, 2, $2\frac{1}{4}$, $2\frac{8}{8}$, $2\frac{6}{8}$, $2\frac{3}{4}$, 3, $3\frac{1}{4}$, $3\frac{8}{8}$, $3\frac{5}{8}$, 4 inch.

 $1\frac{1}{4}$, $1\frac{1}{2}$, $2\frac{1}{4}$, 3, $3\frac{1}{2}$, $4\frac{1}{2}$, 5, 6, $6\frac{3}{4}$, 8, $9\frac{1}{2}$, 10, $11\frac{1}{2}$, $14\frac{1}{1}$ lbs. per fathom.

12, 15, $21\frac{1}{2}$, $25\frac{3}{4}$, $33\frac{1}{2}$, 39, 48, 55, 65, 74, 86, $95\frac{1}{2}$, 108, 135 cwt. working load.

 $3\frac{1}{2}$, 5, $6\frac{3}{4}$, $8\frac{1}{4}$, $10\frac{1}{4}$, $12\frac{1}{2}$, 15, $17\frac{1}{2}$, $20\frac{1}{4}$, $23\frac{1}{4}$, $26\frac{3}{4}$, 30, $33\frac{3}{4}$, $41\frac{1}{2}$ tns. breaking strain.

McLEAN BROTHERS, RIGG & CO.,

Tronghing.

Strong Wrought-Iron Cattle or Sheep Troughing with angle iron ends, in either 6 or 12 feet lengths. Estimates given for any quantity. Size, 15" × 8", 18" × 10", 21" × 12".

Fencing Wire, Plain and Barbed.

Fencing Wire is amongst our leading lines of import, and finding the demands for our brands to be so great we have been induced to import large quantities in order to supply these demands, hence from the fact of our landing such large stocks we are in a position to quote same at very low prices.

Amount of Barbed Wire Required for Fences.

Estimated number of pounds of barbed wire required to fence space or distance mentioned with one, two, or three lines of wire, based upon each pound of wire measuring one rod $(16\frac{1}{2})$ feet).

SYDNEY,

MELBO

| | 1 Line. | 2 Lines. | 3 Lines. |
|-------------------------|--------------------------|-----------------------|-----------------------|
| 1 Square Acre | 50^{2} lbs. | $101\frac{1}{3}$ lbs. | 152 lbs. |
| 1 Side of a Square Acre | $12\frac{3}{3}$ lbs. | $25\frac{1}{3}$ lbs. | 38 lbs. |
| 1 Square Half-Acre | 36 lbs. | 72 lbs. | 108 lbs. |
| 1 Square Mile | 1280 lbs. | 2560 lbs. | 3840 lbs. |
| 1 Side of a Square Mile | 320 lbs. | 640 lbs. | 960 lbs. |
| 1 Rod in Length | 1 lb. | 2 lbs. | 3 lbs. |
| 100 Rods in Length | 100 lbs. | 200 lbs. | 300 lbs. |
| 100 Feet in Length | $6\frac{1}{16}$ lbs. | $12\frac{1}{8}$ lbs. | $18\frac{3}{16}$ lbs. |

| | , Length | WEIGHT | REQUIRED P | er MHE of 1 | PLAIN FENCIN | G WIRE. |
|---------------------------------|--|--|--|--|---|--|
| Gauge. | per Cwt. | One Wire. | Two Wires. | Three Wires. | Four Wires. | Five Wires. |
| No. 5 '' 6 '' 7 '' 8 '' 9 '' 10 | YDS, 332 406 484 592 732 922 | c. q. L. 5 1 5 4 1 9 3 2 15 2 3 24 2 1 17 1 3 17 | C Q. L 10 2 12 8 2 19 7 1 2 5 2 21 4 3 6 3 3 7 | C. Q. L. 15 3 18 13 0 0 10 3 17 8 3 18 7 0 23 5 2 25 | c. 21 0 24 17 1 10 14 2 4 11 3 14 9 2 12 7 2 15 | C. Q. L. 26 2 2 21 2 19 18 0 19 14 3 11 12 0 1 9 2 4 |

Theelbarrows.

Wrought-Iron + Wheelbarrow, with Wrought-Iron Wheel.

The sides of the frame upon which the body rests are of Angle Iron, the wheels are of Wrought-Iron, with round Iron Spokes and Cast-Iron Boss.

They are made either Galvanized or Painted, in different sizes.

Hoop Kron.

Approximate Length in Feet of a Bundle of Iron Hoop.

| <u>5</u> | 3 4 1 | 7 | 1, | 1 1 , | 11, | $1\frac{1}{2}$, | 13, | 2 inch. |
|----------|----------------------------|------|------|------------------|------|------------------|------|---------|
| 800, | 640, | 450, | 345, | 270, | 210, | 150, | 115, | 85. |
| | Each bundle weighs 56 lbs. | | | | | | | |


McLEAN BROTHERS, RIGG & CO.,

SHEEP SHEARS

Of the following Makers kept in stock :-

SYDNEY,

MELBO



BURGEON & BALL'S,

BROWN'S.

MARSHALL'S,

WARD & PAYNE'S,

BURY's,


BALL BROS.

YORK,

SORBY'S.

McLEAN BROTHERS, RIGG & CO.,

WARRE WERENG



Z

SYDNEY,

OURNE

MELB

ALL WIDTHS AND MESHES

Wire Retting.

We have Large Shipments of Galvanized Wire Netting constantly arriving, especially of the following sizes, for which the demand is greatest, namely:—

 $1\frac{1}{2}$ -inch Mesh, 30 and 36 inches wide.

 $1\frac{5}{8}$ " 30, 36, and 42 inches wide.

2 " 30, 36, and 42 inches wide.

3 " 42 and 48 inches wide.

We execute Indents for the above, and also for any mesh and width, with wire woven along the edges, and also through the middle when required.

We shall be glad to furnish quotations either for small or large lines.

Kron Fence Standards.

These Standards are made in various styles and sizes, and are pierced for any number of wires required. We shall always be pleased to quote for the above, either by the dozen or per ton.

Gates. Hurdles.

We can supply wrought-iron Gates for Carriage Drives, Villa Residences, Churches, &c.; also Field and Garden Gates of various designs.

The Hurdles are made of wrought-iron throughout. We have executed large orders with great satisfaction to our customers.

ADELAIDE.

NEW

MELBOURNE,

SYDNEY,


Ш

8

YORK

SYDNEY,

GUNS, AMMUNITION, &c.



Messrs. W. & C. Scott & Son's Guns

Have so wide a reputation for hard hitting that it is almost superfluous referring to it here. We may state, however, that on the River and in the South-East, where large game—often very wild—orm the sport, Scott's Guns are now almost invariably used, whilst the reputation they possess for pigeon shooting is unrivalled. Several new patterns have been recently brought out by the Firm containing all their recent improvements, whilst their usual attention to finish, balance, and handiness of each Gun is always given.

We always endeavour to keep in stock the following high-class Guns, besides a full stock of their Rifles of all calibres, and Revolvers:—

DESCRIPTIONS.

Pigeon Club D.—This is the Gun which has been principally instrumental in bringing Scott's Guns so much to the front. It is made specially for work; plain, but perfectly finished; with treble grip, "than which there is no stronger;" best Damascus barrels, rebounder locks, left full, right modified choke. Weight, about 7½ lbs. Price,

Pigeon Club C.—A similar Gun to above as regards weight and construction, but with higher and more elaborate finish, and with Scott's Patent Adjustable Lump. These Guns are so beautifully balanced that, although really heavy Guns, the fact is not apparent in handling. Price,

Victoria.—This Gun is top action bar lock, rebounder, double grip, first-class Damascus barrels, left choke, right modified. Shooting guaranteed first-class. A bandsome Gun, and is considered by Messrs. Scott to be the cheapest and best value Gun they make. Price,

ZEW

YORK

SYDNEY

McLEAN BROTHERS, RIGG & CO.,

GUNS, &c. (continued).

Excellentia Hammerless.—This is a new pattern Gun recently brought cut, and is highly finished, containing all of the makers' most recent improvements, including their Automatic Safety Bolt, which has been frequently described as the simplest and best by the highest authorities. Price,

Scott's Muzzle-loaders from two pounds upwards. Scott's Rifles.

Revolvers.—All Bores pronounced the simplest and strongest.

Several other patterns of Guns by other Makers, which, of course, are sold at much lower prices.

The public, whether purchasers or not, are cordially invited to inspect our stock of Firearms, when they will meet with the greatest courtesy from our Gunsmith, Mr. Evans, to whom all Guns are submitted for examination before being sent out. We have found this system a great success, and saving of trouble; it always insures a weapon being sent out in good order.

Scott's Catalogues supplied on application.

All repairs effected on shortest notice.

Ammunition in all its varieties is another specialty of which we have given it our fullest attention. We always keep in stock Sporting Cartridges—paper, brass, and solid brass—in all bores; Cartridge Cases—paper and brass—in all bores and qualities, Percussion Caps, Anvils, Gun Wadding, Re-loading Tools, and all Breech-loading Gun Material. Cartridges of American and English manufacture. Gunpowder, Shot, Caps, &c., &c.

ACENTS FOR THE AUTOMATIC SPORTING SHRAPNEL SHELLS.

BERTHON BOATS.

These Boats are made of canvas, and we can recommend them as being suitable for sporting, as they are light and draw but little water. Without any trouble they can be folded up and carried with ease, thus enabling one to lift it out of a swamp and carry it to any other tract of water. They are made of double canvas, which enables them to take considerable weight. Different sizes in stock. Weigh of Dingies, 54 lbs., with Sculls.

We are Agents for the

Rhenish Pynamite Co.'s Genuine Pynamite.

The SAFEST, CHEAPEST, and MOST POWERFUL of all Explosives. We enumerate some of its advantages over other Explosives:—

SAVING OF LABOUR IN BORING, as labour, not the powder, is the great expense in mining operations. With Dynamite smaller and fewer boreholes are required, hence a great saving of tools and fuse; and, as it requires no tamping (loose sand, clay, or even water being sufficient), there is, therefore, perfect immunity from accidents in stemming boreholes, as well as saving of time and expense.

GREAT FACILITY AND EFFICACY UNDER WATER, AND IN WATER-BLEEDING ROCKS.

LONDON

NEW

YORK

ABSENCE OF SMOKE.

EXTREME VELOCITY OF EXPLOSION, which makes it as effective in fissures as sound rock. Blasting with it can, therefore, be more rapidly performed than with powder, which is at all times important, and especially so in sinking shafts and driving tunnels.

Perfect safety when the printed instructions are followed. Although thousands of tons of Dynamite have been used, there is no accident from it on record whilst in transit and storage, and none have occurred in mines except through unwarrantable carelessness.

We sell immense quantities of Dynamite for TUNNELLING, MINING, AND CLEARING LAND OF STUMPS OF TREES, and for other purposes where powder was formerly used.

Full particulars on application, or free per post. Beware of spurious imitations; they are about.

Dynamite Betonators.

Double, treble, and quadruple force.

Patent Sakety Fuse.

Single and double tape.

Teather Belting.



Best Single Straps Best Double Straps

All widths.

Pulleys.

NEW

YORK,

MELBOURNE,

TURNED AND BORED DRIVING PULLEYS

With Flat or Rounding Edges.

These Pulleys are cast from patterns specially designed for driving Agricultural Machinery.

Special Lists of this class of work free on application.

trom Bedstoads



FOUR-POST TAPERED AND PARALLEL TUBULAR IRON BEDSTEADS.

HALF-TESTER TAPERED AND PARALLEL TUBULAR IRON BEDSTEADS.

FRENCH BEDSTEADS.

SYDNEY,

MELBOURNE,

STUMP BEDSTEADS.

CHILDREN'S BED COTS.

CHILDREN'S SWING COTS.

CHAIR BEDSTEADS.

We have Stock of the above in

JAPANNED GREEN, BLUE, BLACK, MAROON, OR FRENCH GREY, RELIEVED VITH GOLD.

Also, a very Handsome Assortment of

FRENCH FOUR-POST AND HALF-TESTER BED-STEADS, IN BRASS,

Of all the Latest Designs.

MATTRASSES, PALLIASSES, PILLOWS, BOLSTERS In Hair, Feathers, Fibre, Pulu, &c., &c.

ADELAIDE.

NEW YORK

LIST OF OUR AGENCIES

Marshall, Sons, & Co.

"Davis" Vertical Feed High Arm Sewing Machines.

John Hall & Son.

U.S. Wind, Engine, and Pump Company.

C. L. Hett.

W. & C. Scott & Sons.

McCormick Harvesting Machine Company.

Automatic Sporting Shrapnel Shell Company.

Patent Enamel Company.

Harland's.

Berthon Boat Company.

Goldsworthy & Sons.

Baldwin's.

Rhenish Dynamite Company.

Harrington's.

Walker's.

Singer's.

Engines, Threshing Machines, &c.

Hand and Treadle Machines.

Blasting & Sporting Powders.

LONDON

ZE

YORK

Halladay Windmills.

Centrifugal Pumps.

Celebrated Choke-bore Guns.

McCormick Reapers & Binders

Sporting Shells.

Enamel Plates, &c.

Varnish.

Boats.

Glass, Emery Paper, &c.

Refrigerators.


Dynamite.


Patent Chair Springs.

Patent Wire Strainers.

Bicycles and Tricycles.

MELBOURNE,





D U Q 回 A

MELBOURNE WEST STREET COLLINS LITTLE 183,

